

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	175	(associat\$3 or link\$3 or relat\$3) with (print adj job) with (identifier or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L3	98	(associat\$3 or link\$3 or relat\$3) near3 (print adj job) near3 (identifier or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L4	3	((associat\$3 or link\$3 or relat\$3 or attach\$3 or assign\$3) with (print adj job) with (identifier or id)) same ((correlat\$5 or match\$5 or relat\$5 or combin\$5 or wrap\$5 or bundl\$5) with (print adj (information or data))) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L5	41	((associat\$3 or link\$3 or relat\$3 or attach\$3 or assign\$3) near2 (print adj job) near2 (identifier or id)) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L6	680	(correlat\$3 associat\$3 link\$3) with (print adj3 information) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L7	333	(correlat\$3 associat\$3 link\$3) with (print adj3 information) same (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L8	230	(correlat\$3 associat\$3 link\$3) with (print adj2 information) same (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11

L9	21	(correlat\$3 associat\$3 link\$3) with (print adj2 information) same (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) same (id or identifier or name) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L10	2	"20020188707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L11	58	(print adj2 information) with (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) with (id or identifier or name) and (print adj job) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L12	63	(assign\$3 or combin\$3 or attach\$3 or wrap\$4 or associat\$3 or link\$3) near3 (print adj job) near3 (identifier or id or name) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L13	54	((assign\$3 or combin\$3 or attach\$3 or wrap\$4 or associat\$3 or link\$3) near3 (print adj job) near3 (identifier or id or name)) same (correlat\$3 or link\$3 or associat\$3) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L14	2	((assign\$3 or combin\$3 or attach\$3 or wrap\$4 or associat\$3 or link\$3) near3 (print adj job) near3 (identifier or id or name)) same (correlat\$3 or link\$3 or associat\$3) with (job adj3 information) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11

L15	1	399/79.ccls. and (job adj2 information) with (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) with (id or identifier or name) and (print adj job) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L16	2	"20020188646"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L17	17	correlat\$3 with (job adj2 information) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L18	72	(job adj2 information) with (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) with (id or identifier or name) and (print adj job) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L19	18	correlat\$3 with ((before with after) or (pre-\$6 with post-\$6)) with (id or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
L20	6	poll\$3 with vary\$3 with (rate or speed) with (device or printer or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11